Surname

Other Names

# **Mathematics**

2019 Practice Paper Paper 3 (Calculator) Higher Tier

Time: 1 hour 30 minutes

**You must have:** Ruler graduated in centimetres and millimetres, protractor, pair of compasses, pen, HB pencil, eraser, calculator. Tracing paper may be used.

**Total Marks** 

### Instructions

- Use black ink or ball-point pen.
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
- there may be more space than you need.
- Calculators may be used.
- Diagrams are NOT accurately drawn, unless otherwise indicated.
- · You must show all your working.

#### Information

- The total mark for this paper is 80
- The marks for each question are shown in brackets
- use this as a guide as to how much time to spend on each question.

#### **Advice**

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Try to answer every question.
- Check your answers if you have time at the end.




1  $\mathscr{E}$  = {even numbers between 1 and 31}

$$A = \{2, 4, 8, 14, 18, 22, 28\}$$

$$B = \{8, 10, 16, 18, 22, 30\}$$

(a) Complete the Venn diagram to represent this information.



(4)

A number is chosen at random from the universal set, &

(b) What is the probability that the number is in the set  $A \cup B$ ?

....

(2)


(Total for question 1 is 6 marks)

2 The frequency table shows the time taken for 100 people to travel to an event.

Time (minutes)	Frequency
$0 < t \leqslant 10$	14
10 < t ≤ 20	16
20 < t ≤ 30	23
30 < t ≤ 40	29
40 < t ≤ 50	12
50 < t ≤ 60	6

(a) Find the percentage of people that travelled for more than 30 minutes to the event

(b) Draw a frequency polygon for the information on the table.




(Total for question 2 is 4 marks)

3	(a) Find the reciprocal of 8	
	•	
		(1)
	(b) Use your calculator to work out $(2 \cos 40^{\circ} + 3 \sin 25^{\circ})^{3}$	(1)
	Write down all the figures on your calculator display.	
		(2)
		(2) (Total for question 3 is 3 marks)
_		(Total for question 3 is 3 marks)
4	Solve the simultaneous equations	
	2x + 5y = 2	
	2x + 5y = 2 $7x - 4y = -1$	
	•	
		<i>x</i> =
		<i>y</i> =
		(Total for question 4 is 3 marks)
		· · · · · · · · · · · · · · · · · · ·

_		
	A is the point with coordinates $(3, 8)$ B is the point with coordinates $(x, 13)$	
	The gradient of AB is 2.5	
	Work out the value of <i>x</i>	
		(Total for question 5 is 2 marks)
_		(Total for question 5 is 2 marks)
	(a) Olivia is going to invest some money for 5 years.	
	She can choose from two options:	
	Investment A: 2.7% compound interest per annum	
	Investment B: 2.8% simple interest per annum	
	Which investment should Olivia choose You must show your working.	
	, c	
		(Total for question 6 is 4 marks)

7	The exchange rate in London is £1 = $$1.31$		
	The exchange rate in New York is $1 = £0.79$		
	Bernie wants to change some pounds into dollars.		
	In which of these cities would Bernie get the most dollars? You must show your working.		
_		(Total for question 7 is 3 marks)	_
			/

8	Each year Rose buys an annual ticket for his train journey to work	
	The price of Rose's ticket increased by 2% in 2017 and 3% in 201	8.
	The ticket cost £2534 in 2018.	
	What was the price of the ticket in 2016?	
		£
		(Total for question 8 is 3 marks)
9	Last year Patrick paid £2534 for his annual train ticket.  This year he has to pay £2612 for his annual train ticket.  Work out the percentage increase in the cost of his train ticket.	
	Give your answer correct to 3 significant figures.	
		%
_		(Total for question 9 is 3 marks)




11	Liquid <b>A</b> has a density of 1.2 g/cm <sup>3</sup>
	150 cm <sup>3</sup> of Liquid <b>A</b> is mixed with some of Liquid <b>B</b> to make Liquid <b>C</b> .
	Liquid C has a mass of 210 g and a density of 1.12 g/cm <sup>3</sup>
	Find the density of Liquid <b>B</b> .
	g/cm <sup>3</sup>
	(Total for question 11 is 3 marks)
	· · · · · · · · · · · · · · · · · · ·

Find the value of x. Give your answer to 1 decimal place.	12	Emma has a bag containing a large number of beads.  She wants to find an estimate for the number of beads in the bag.
She now takes another sample of 50 beads from the bag.  6 of these beads have been marked with a black cross.  Work out an estimate for the total number of beads in the bag.  (Total for question 12  13 A radioactive substance decays by x % each day. After 8 days half of the substance has deca Find the value of x.  Give your answer to 1 decimal place.		
Work out an estimate for the total number of beads in the bag.  (Total for question 12)  A radioactive substance decays by x % each day. After 8 days half of the substance has deca Find the value of x.  Give your answer to 1 decimal place.		
(Total for question 12)  13 A radioactive substance decays by x % each day. After 8 days half of the substance has decay Find the value of x.  Give your answer to 1 decimal place.		6 of these beads have been marked with a black cross.
13 A radioactive substance decays by x % each day. After 8 days half of the substance has deca Find the value of x. Give your answer to 1 decimal place.		Work out an estimate for the total number of beads in the bag.
13 A radioactive substance decays by x % each day. After 8 days half of the substance has deca Find the value of x. Give your answer to 1 decimal place.		
13 A radioactive substance decays by x % each day. After 8 days half of the substance has deca Find the value of x. Give your answer to 1 decimal place.		
13 A radioactive substance decays by x % each day. After 8 days half of the substance has deca Find the value of x. Give your answer to 1 decimal place.		
13 A radioactive substance decays by x % each day. After 8 days half of the substance has deca Find the value of x. Give your answer to 1 decimal place.		
13 A radioactive substance decays by x % each day. After 8 days half of the substance has deca Find the value of x. Give your answer to 1 decimal place.		
13 A radioactive substance decays by x % each day. After 8 days half of the substance has deca Find the value of x. Give your answer to 1 decimal place.		
13 A radioactive substance decays by x % each day. After 8 days half of the substance has deca Find the value of x. Give your answer to 1 decimal place.		
13 A radioactive substance decays by x % each day. After 8 days half of the substance has deca Find the value of x.  Give your answer to 1 decimal place.		
/T / 18 / 10	13	
(Intal for quartien 13)	13	A radioactive substance decays by $x$ % each day. After 8 days half of the substance has decayed. Find the value of $x$ .
(Total for question 13	13	A radioactive substance decays by $x$ % each day. After 8 days half of the substance has decayed. Find the value of $x$ .

14 (a) Expand and simplify $(x+5)(x+3)(x-4)$	
	(3)
(b) Solve $3x^2 - 5x - 7 = 0$ Give your solutions correct to 3 significant figure	res
	(3)
	(Total for question 14 is 6 marks)





Triangle A is reflected in the line y = -x to give triangle B

Triangle B is reflected in the line x = -2 to give triangle C

Describe the single transformation which maps triangle A onto triangle C.


(Total for question 15 is 3 marks)

Prove algebr	aically that the	recurring decin	nal 0.315 can b	be written as $\frac{3}{11}$	5	
				1	11	
				(Tot	al for question 16	is 2 marl
Here are the	first 5 terms of	f a quadratic sec	auence.			
Here are the	first 5 terms of					
	first 5 terms of 5 ression, in term	11	22	38 sequence.	59	
	5	11	22		59	
	5	11	22	sequence.	al for question 17	

18 The table shows information about the weight of 60 pigs.

Weight (kg)	Frequency
60 < w ≤ 75	9
75 < w ≤ 85	16
85 < w ≤ 90	25
90 < w ≤ 110	10

(a) On the grid, draw a histogram for the information in the table.




(b) Find an estimate for the median.

			•												k	ç	<u>.</u>
									(	(	2	)	)				

(3)


(Total for question 18 is 5 marks)





The area of the triangle is  $21\text{m}^2$  Calculate the perimeter of triangle *ABC*. Give your answer to 1 decimal place.

.....m




21

$$f = \frac{\sqrt{g}}{h}$$
  $g = 12.5$  correct to 3 significant figures   
  $h = 15.02$  correct to 4 significant figures


By considering bounds, work out the value of f to a suitable degree of accuracy. Give a reason for your answer.

(Total for question 21 is 5 marks)




$$y = \cos(x + 90) - 1$$

for the values 
$$0^{\circ} < x < 360$$



(2)

## (b) Sketch the graph of $x^2 + y^2 = 1.96$



(2)

(Total for question 22 is 4 marks)