WORKED SOLUTIONS KG
mark scheme LJH

Write your name here

Surname	Other names

Pearson Edexcel
Level 1 / Level 2
GCSE (9–1)

Centre Number | | | | | |

Candidate Number | | | | |

Mathematics

Paper 2 (Calculator)

Higher Tier

Thursday 8 June 2017 – Morning
Time: 1 hour 30 minutes

Paper Reference
1MA1/2H

You must have: Ruler graduated in centimetres and millimetres, protractor, pair of compasses, pen, HB pencil, eraser, calculator. Tracing paper may be used.

Total Marks
80

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
  – *there may be more space than you need.*
- You must **show all your working**.
- Diagrams are **NOT** accurately drawn, unless otherwise indicated.
- **Calculators may be used.**
- If your calculator does not have a π button, take the value of π to be 3.142 unless the question instructs otherwise.

Information

- The total mark for this paper is 80.
- The marks for **each** question are shown in brackets
  – *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶

6/6/6/6/6/7/1/

Pearson

Answer ALL questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

1 The table shows the probabilities that a biased dice will land on 2, on 3, on 4, on 5 and on 6

Number on dice	**1**	**2**	**3**	**4**	**5**	**6**
Probability	0.31	0.17	0.18	0.09	0.15	0.1

Neymar rolls the biased dice 200 times.

Work out an estimate for the total number of times the dice will land on 1 or on 3

0.31 + 0.18 = 0.49

"0.49" × 200 = 98

P1 correct process to find probability lands on 1 " "

M1 combines P(1) and P(3) and "multiplies" by 200

A1 cao

98

(Total for Question 1 is 3 marks)

2 On Saturday, some adults and some children were in a theatre.
The ratio of the number of adults to the number of children was 5 : 2

Each person had a seat in the Circle or had a seat in the Stalls.

$\frac{3}{4}$ of the children had seats in the Stalls.
117 children had seats in the Circle.

There are exactly 2600 seats in the theatre.

On this Saturday, were there people on more than 60% of the seats?
You must show how you get your answer.

children : $\frac{2}{7}$ B1

children in stalls : $\frac{2}{7} \times \frac{3}{4} = \frac{3}{14}$ M1

children in circle : $\frac{2}{7} \times \frac{1}{4} = \frac{1}{14}$

$117 = \frac{1}{14} \times \text{Total}$ M1

Total = 1638

$\frac{1638}{2600} \times 100 = 63\%$ A1

Yes, more than 60% (63%) of seats were taken. C1

Bar modelling method

$\frac{3}{4}$ children Stalls

| Stalls | Stalls | Stalls | Circle |

←117→

↑
117 children Circle

∴ total Children = 117 × 4
= 468

Adults : Children
5 : 2

| A | A | A | A | A | C | C |

234

←468→

∴ total Adults = 234 × 5
= 1170

Total at theatre = 468 + 1170
= 1638

etc as above

(Total for Question 2 is 5 marks)

3 The diagram shows a prism with a cross section in the shape of a trapezium.



On the centimetre grid below, draw the front elevation and the side elevation of the prism.
Use a scale of 2 cm to 1 m.



(Total for Question 3 is 4 marks)

4 Olly drove 56 km from Liverpool to Manchester.
He then drove 61 km from Manchester to Sheffield.

Olly's average speed from Liverpool to Manchester was 70 km/h.
Olly took 75 minutes to drive from Manchester to Sheffield.

(a) Work out Olly's average speed for his total drive from Liverpool to Sheffield.





M1 use of formula to find time taken L→M = 48mins

$T = \frac{D}{S} = \frac{56}{70} = 0.8$ hours $\times 60 = 48$ mins OR convert to minutes using time button on calc.

Total distance = 117 km B1 calculates total distance

Total time = 123 mins = 2.05 hours B1 calculates total time

Average speed = $\frac{117}{2.05}$ = 57 km/h

A1 cao

57 km/h

(4)

Janie drove from Barnsley to York.

Janie's average speed from Barnsley to Leeds was 80 km/h.
Her average speed from Leeds to York was 60 km/h.

Janie says that the average speed from Barnsley to York can be found by working out the mean of 80 km/h and 60 km/h.

(b) If Janie is correct, what does this tell you about the two parts of Janie's journey?

That the time from Barnsley to Leeds is equal to the time from Leeds to York. C1

(1)

(Total for Question 4 is 5 marks)

5



ABC and *EDC* are straight lines.
EA is parallel to *DB*.

EC = 8.1 cm.
DC = 5.4 cm.
DB = 2.6 cm.

(a) Work out the length of *AE*.

length scale factor = 1.5 B1

AE = 2.6 × 1.5

= 3.9

A1

3.9 cm

(2)

AC = 6.15 cm.

(b) Work out the length of *AB*.

BC = 6.15 ÷ 1.5 = 4.1 B1

AB = 6.15 − 4.1

= 2.05

A1

2.05 cm

(2)

(Total for Question 5 is 4 marks)

6 Anil wants to invest £25 000 for 3 years in a bank.

Personal Bank	Secure Bank
Compound Interest	Compound Interest
2% for each year	4.3% for the first year 0.9% for each extra year

Which bank will give Anil the most interest at the end of 3 years?
You must show all your working.

M1 any correct use of multiplier

Personal Bank: $£25000 \times 1.02^3 = £26,530.20$

A1 both correct final amounts.

Secure Bank: $£25000 \times 1.043 \times 1.009^2 = £26,546.46$

Secure Bank gives the most interest. C1

Alternative Method

Personal Bank

Y1 2% of £25 000 = £500
£25 000 + £500 = £25 500

Y2 2% of £25 500 = £510
£25 500 + £510 = £26 010

Y3 2% of £26 010 = £520.20
£26 010 + £520.20 = £26 530.20

Secure Bank

Y1 4.3% of £25000 = £1075
£25000 + £1075 = £26 075

Y2 0.9% of £26 075 = £234.675
£26 075 + £234.675 = £26 309.675

Y3 0.9% of £26 309.675 = £236.787...
£26 309.675 + £236.787 = £26 546.46

(Total for Question 6 is 3 marks)

7 A number, n, is rounded to 2 decimal places.
The result is 4.76

Using inequalities, write down the error interval for n.

B1 either end correct
B1 fully correct including correct inequality signs

$4.755 \leqslant n < 4.765$

(Total for Question 7 is 2 marks)

8 The cumulative frequency graph shows some information about the heights, in cm, of 60 students.



Work out an estimate for the number of these students with a height greater than 160 cm.

60 - 48 B1 wc of guideline at 160 to give 48

12. A1 cao

(Total for Question 8 is 2 marks)

9 The diagram shows triangle **A** drawn on a grid.



B1 triangle B correct

B1 ft "their" B triangle C and D correct

Kyle reflects triangle **A** in the x-axis to get triangle **B**.
He then reflects triangle **B** in the line $y = x$ to get triangle **C**.

Amy reflects triangle **A** in the line $y = x$ to get triangle **D**.
She is then going to reflect triangle **D** in the x-axis to get triangle **E**.

Amy says that triangle **E** should be in the same position as triangle **C**.

Is Amy correct?
You must show how you get your answer.

No, she is incorrect as shown on the diagram above; C and E are in different positions. C1

(Total for Question 9 is 3 marks)

10 The table shows some information about eight planets.

Planet	Distance from Earth (km)	Mass (kg)
Earth	0	5.97×10^{24}
Jupiter	6.29×10^{8}	1.898×10^{27}
Mars	7.83×10^{7}	6.42×10^{23}
Mercury	9.17×10^{7}	3.302×10^{23}
Neptune	4.35×10^{9}	1.024×10^{26}
Saturn	1.28×10^{9}	5.68×10^{26}
Uranus	2.72×10^{9}	8.683×10^{25}
Venus	4.14×10^{7}	4.869×10^{24}

(a) Write down the name of the planet with the greatest mass.

B1

Jupiter

(1)

(b) Find the difference between the mass of Venus and the mass of Mercury.

$4.869 \times 10^{24} - 3.302 \times 10^{23} = 4.5388 \times 10^{24}$

A1

4.5388×10^{24} kg

(1)

Nishat says that Neptune is over a hundred times further away from Earth than Venus is.

(c) Is Nishat right?
You must show how you get your answer.

M1 $\frac{4.35 \times 10^{9}}{4.14 \times 10^{7}} = 105.1$ (1dp)

Nishat is right. Neptune is 105.1 times further away from Earth than Venus is. C1

(2)

(Total for Question 10 is 4 marks)

11 Solve $\frac{3x-2}{4} - \frac{2x+5}{3} = \frac{1-x}{6}$

M1 multiplies by either 4, 3, 6 or 12 all terms correctly.

$\times 12]$ $3(3x-2) - 4(2x+5) = 2(1-x)$

$9x - 6 - 8x - 20 = 2 - 2x$ A1

$x - 26 = 2 - 2x$

$3x = 28$ M1 correct process to solve

$x = \frac{28}{3}$

A1

$x =$ $\frac{28}{3}$

(Total for Question 11 is 4 marks)

12 There are 30 students in Mr Lear's class.
16 of the students are boys.

Two students from the class are chosen at random.

Mr Lear draws this probability tree diagram for this information.



(a) Write down **one** thing that is wrong with the probabilities in the probability tree diagram.

The right hand probabilities should have a denominator of 29. C1

(1)

Owen and Wasim play for the school football team.

The probability that Owen will score a goal in the next match is 0.4
The probability that Wasim will score a goal in the next match is 0.25

Mr Slater says,

"The probability that both boys will score a goal in the next match is 0.4 + 0.25"

(b) Is Mr Slater right?
Give a reason for your answer.

No, he should multiply the probabilities (assuming that the events are independent). C1

(1)

(Total for Question 12 is 2 marks)

13 The histogram shows some information about the ages of the 134 members of a sports club.



20% of the members of the sports club who are over 50 years of age are female.

Work out an estimate for the number of female members who are over 50 years of age.

$10 \times 1.4 + 30 \times 0.7 = 35$

20% of 35 = 7

B1 marks histogram at age 50

M1 attempts to calculate area required.

7 A1

(Total for Question 13 is 3 marks)

14 Here are some graphs.

A



B



C



D



E



F



G



H



I



In the table below, match each equation with the letter of its graph.

Equation	Graph
$y = \sin x$	C
$y = x^3 + 4x$	F
$y = 2^x$	A
$y = \frac{4}{x}$	H

B3
(-1 ee)

(Total for Question 14 is 3 marks)

15 A, B, C and D are four points on the circumference of a circle.



AEC and BED are straight lines.

Prove that triangle ABE and triangle DCE are similar.
You must give reasons for each stage of your working.

Angle BAE = Angle EDC (Angles in the same segment are equal).

Angle ABE = Angle DCE (Angles in the same segment are equal).

Angle AEB = Angle CED (Vertically opposite angles are equal).

B1 any correct

C1 any correct reason

∴ Triangles ABE and DCE are similar as all three pairs of corresponding angles are equal.

C1 fully correct solution with final statement

(Total for Question 15 is 3 marks)

16 Using algebra, prove that $0.1\dot{3}\dot{6} \times 0.\dot{2}$ is equal in value to $\frac{1}{33}$

$r = 0.1363636\ldots$

$100r = 13.63636\ldots$

$99r = 13.5$

$r = \frac{13.5}{99}$

$= \frac{3}{22}$

$s = 0.22222\ldots$

$10s = 2.22222\ldots$

$9s = 2$

$s = \frac{2}{9}$

P1 correct process to convert either decimal to a fraction

A1 both fractions correct

$\therefore 0.1\dot{3}\dot{6} \times 0.\dot{2} = \frac{3}{22} \times \frac{2}{9}$

$= \frac{1}{33}$ A1 *

(Total for Question 16 is 3 marks)

17



ONQ is a sector of a circle with centre *O* and radius 11 cm.

A is the point on *ON* and *B* is the point on *OQ* such that *AOB* is an equilateral triangle of side 7 cm.

Calculate the area of the shaded region as a percentage of the area of the sector *ONQ*.
Give your answer correct to 1 decimal place.

Area of sector ONQ $= \frac{60}{360} \times \pi \times 11^2$ P1 correct process to find area of sector

$= \frac{121}{6}\pi$

Area of triangle OAB $= \frac{1}{2} \times 7 \times 7 \sin 60°$ P1 correct process to find area of triangle

A1 either area correct $= \frac{49\sqrt{3}}{4}$

Percentage shaded $= \dfrac{\frac{121}{6}\pi - \frac{49\sqrt{3}}{4}}{\frac{121}{6}\pi} \times 100$ M1 ft uses a correct method to calculate % shaded

$= 66.5\%$ (1dp)

A1

66·5 %

(Total for Question 17 is 5 marks)

18 $16^{\frac{1}{5}} \times 2^x = 8^{\frac{3}{4}}$

Work out the exact value of x.

$16^{\frac{1}{5}} \times 2^x = 8^{\frac{3}{4}}$

$(2^4)^{\frac{1}{5}} \times 2^x = (2^3)^{\frac{3}{4}}$

B1 writes either term as a power of 2

$2^{\frac{4}{5}} \times 2^x = 2^{\frac{9}{4}}$

M1 forms equation from powers

$\frac{4}{5} + x = \frac{9}{4}$

$x = \frac{9}{4} - \frac{4}{5}$

$= \frac{29}{20}$

$\frac{29}{20}$ A1

(Total for Question 18 is 3 marks)

19 $2 - \dfrac{x+2}{x-3} - \dfrac{x-6}{x+3}$ can be written as a single fraction in the form $\dfrac{ax+b}{x^2-9}$ where a and b are integers.

Work out the value of a and the value of b.

$$2 - \frac{x+2}{x-3} - \frac{x-6}{x+3} = \frac{2(x-3)(x+3) - (x+2)(x+3) - (x-6)(x-3)}{(x-3)(x+3)}$$

M1 use of a correct common denominator

M1 ft simplifies correctly

$$= \frac{2x^2 - 18 - x^2 - 5x - 6 - x^2 + 9x - 18}{x^2 - 9}$$

$$= \frac{4x - 42}{x^2 - 9}$$ A1

$a =$ 4 A1 both

$b =$ −42

(Total for Question 19 is 4 marks)

20 The diagram shows part of the graph of $y = x^2 - 2x + 3$



(a) By drawing a suitable straight line, use your graph to find estimates for the solutions of $x^2 - 3x - 1 = 0$

$x^2 - 2x + 3 = x + 4$ B1

A1

$x = 3.3$ or $x = -0.3$

(2)

P is the point on the graph of $y = x^2 - 2x + 3$ where $x = 2$

(b) Calculate an estimate for the gradient of the graph at the point P.

$\frac{2}{1} = 2$

B1 draws a suitable tangent

m1 use of a correct method ft to calculate gradient

2 A1

(3)

(Total for Question 20 is 5 marks)

21 The diagram shows 3 identical circles inside a rectangle.
Each circle touches the other two circles and the sides of the rectangle, as shown in the diagram.



The radius of each circle is 24 mm.

Work out the area of the rectangle.
Give your answer correct to 3 significant figures.

B1 notices that centre of circles forms an equilateral triangle.



$h^2 = 48^2 - 24^2$

$= 1728$

$h = 24\sqrt{3}$ cm

M1 finds height of triangle using a suitable method.

Height of rectangle $= 24\sqrt{3} + 2 \times 24$

$= 48 + 24\sqrt{3}$ cm A1 height and/or width correct

Width of rectangle = 96 cm

Area of rectangle $= (48 + 24\sqrt{3}) \times 96$

$= 8598.645\ldots$

$= 8600$ cm^2 (3s.f.)

A1

8600 mm^2

(Total for Question 21 is 4 marks)

22 Here are the first five terms of a sequence.

4 11 22 37 56

Find an expression, in terms of n, for the nth term of this sequence.



B1 finds 2nd diff.

$2n^2$: 2 8 18 32 50 M1 use of $2n^2$

+2 +3 +4 +5 +6 : n + 1

A1

$2n^2 + n + 1$

(Total for Question 22 is 3 marks)

23 **L** is the circle with equation $x^2 + y^2 = 4$

$P\left(\frac{3}{2}, \frac{\sqrt{7}}{2}\right)$ is a point on **L**.

Find an equation of the tangent to **L** at the point P.



Tangent at P is perpendicular to radius OP.

Gradient OP $= \frac{\sqrt{7}/2}{3/2} = \frac{\sqrt{7}}{3}$ ∴ Gradient of tangent $= -\frac{3}{\sqrt{7}}$

$= -\frac{3\sqrt{7}}{7}$

A1 correct gradient

$P\left(\frac{3}{2}, \frac{\sqrt{7}}{2}\right)$: $y - \frac{\sqrt{7}}{2} = -\frac{3\sqrt{7}}{7}\left(x - \frac{3}{2}\right)$

$y = -\frac{3\sqrt{7}}{7}x + \frac{9\sqrt{7}}{14} + \frac{\sqrt{7}}{2}$

$y = -\frac{3\sqrt{7}}{7}x + \frac{8\sqrt{7}}{7}$

M1 correct subs into a suitable straight line equation

A1 oe $y = -\frac{3\sqrt{7}}{7}x + \frac{8\sqrt{7}}{7}$

(Total for Question 23 is 3 marks)

TOTAL FOR PAPER IS 80 MARKS

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE